

DOCUMENT:	VESSEL MOVEMENT PROCEDURES	ISSUED BY:	Operations Manager
TITLE		DATE	28 th August 2012
DESCRIPTION	LOCAL MARINE NOTICES	REVISION	9

<p>Marine Notice 01/2012</p>	<p>In order to safely determine whether vessels may remain safely berthed in very strong wind conditions, the following restrictions will be applied, if, in the opinion of the Harbour Master, the circumstances dictate.</p> <p>Vessels may not be permitted to “lay-up” on any berth where:</p> <ul style="list-style-type: none"> • The windspeed is, or is forecasted to be, greater than 25 knots, and • There is no shelter available from other ships, and • The wind is blowing off the Berth. <p>The combined operation of Berth 2 and 3, where the mean Windspeed is, or is forecasted to be, greater than 35 knots, may be restricted to one vessel.</p>
---	---

DOCUMENT:	VESSEL MOVEMENT PROCEDURES	ISSUED BY:	Operations Manager
TITLE		DATE	28 th August 2012
DESCRIPTION	LOCAL MARINE NOTICES	REVISION	9

Marine Notice
02/2012

In order for the Harbour Master to safely determine whether Pilotage should be carried out by a Master who has little or no experience of handling ships at Rosslare Europort, and where there is no tug assistance, the following one-hour mean Windspeed limits will be applied to vessels of restricted power:

Wind Direction	Single-screw vessel with thruster capacity < 750kW [knots]	Twin-screw vessel with thruster capacity < 500kW [knots]
N	13	18
NNE	13	18
NE	13	18
ENE	13	18
E	15	20
ESE	20	25
SE	20	25
SSE	20	25
S	20	25
SSW	20	25
SW	15	20
WSW	15	20
W	15	20
WNW	13	18
NW	13	18
NNW	13	18

DOCUMENT:	VESSEL MOVEMENT PROCEDURES	ISSUED BY:	Operations Manager
TITLE		DATE	28 th August 2012
DESCRIPTION	LOCAL MARINE NOTICES	REVISION	9

Limitations on the use of Berth 4

The use of Berth 4 is restricted in certain weather conditions so as to avoid the potential for vessel collision in the event of a power blackout on a vessel approaching Berth 3.

Marine Notice
03/2012

Wind Direction	Max 1hr wind-speed limits
N	25
NNE	25
NE	25
ENE	25
E	30
ESE	35
SE	35
SSE	30
S	25
SSW	20
SW	20
WSW	20
W	25
WNW	25
NW	25
NNW	25

DOCUMENT:	VESSEL MOVEMENT PROCEDURES	ISSUED BY:	Operations Manager
TITLE		DATE	28 th August 2012
DESCRIPTION	LOCAL MARINE NOTICES	REVISION	9

<p>Marine Notice 04/2012</p>	<p>NE Breakwater Light [ALL 5842]</p> <p>A new sector light is now in operation with the characteristics as displayed below. The new sectors are aligned with the new position of the South Long Buoy.</p> <p>The specification of the new light is included below:</p> <p>Sectors:</p> <ul style="list-style-type: none"> ▪ G 098°-188°(90°) ▪ W 188°-208°(20°) ▪ R 208°-246°(38°) ▪ G 246°-284° (38°) ▪ W 284°-286° (2°) ▪ R 286°-320° (34°) ▪ W 320°-098° (138°) <ul style="list-style-type: none"> • Range: WRG 13/10/10 • Character: Oc WRG 5s (4 on, 1 off)
<p>Marine Notice 05/2012</p>	<p>APPROACHES TO THE PORT</p> <p>Vessels, when making their approach into the Port, should aim to pass not less than 100 metres from the Breakwater, until they have safely cleared to the west of the Breakwater.</p>